








Guangdong CREATEKING New Materials Technology Co.Ltd

MingSha South Road No.3,Jinsha XinAn Industry,
DanZao Town ,Foshan City, NanHai Distrc, Guangdong ,China .528216
Mob:86-13928691588 E-mail:sales@createking.net.cn Attn:Lucky Tang










SPC Flooring Profiles (UPVC Surface Wood-Cated CKN/CKT Colors)





Name and for Thickness of flooring	Pic	Product Drawing	Model	Size (L*W*H mm）	PCS/CTN 2.7meters	Weight/kg
Reducer for 4/5/6/7mm Flooring			WD1	2700×28×5	60	0. 37
T-moulding With or without Runner for 3/4/5/mm Flooring			ST203 With/without runner	2700×25×3	100	0. 22
T-moulding without or With Alu Runner for 5/6/7mm Flooring			ST205 With/without runner	2700×25×5	50	0. 25
T-moulding without Runner for 5/6/7mm Flooring			DG2	2700×42×6.5	50	0. 42
T-moulding without Runner for 3.5mm Flooring			SPT2-B （without runner ）	2700×25×3.2	50	0. 2
L Profile for 4~5mm Flooring , if for 6-7mm can modify height of mold to height 6mm/7.5mm			STE24*4	2700×24×5.5	150	0. 24
F Stair Nosing For 4mm to 6mm flooring			SPF4	2700×20×4/6.3	30	0. 56
R Stair Nosing For 4mm to 6mm flooring			SPQ4	2700×20×4/6.3	30	1. 7
Stair Nosing For 5mm flooring			SQL405	2700×75×25	12	1. 45

NEW SPC Flooring Profiles (UPVC Surface Wood-Cated CKN/CKT Colors)














Name and for Thickness of flooring	Pic	Product Drawing	Model	Size (L*W*H mm）	PCS/CTN 2.7meters	Weight/kg
 Reducer with PVC Runner for 4/5/6/7mm Flooring			**SPT1 （with PVC Runner ）**	**2700×32×5.3**	**30**	**0.33+0.2**
T-moulding with PVC Runner for 4/5/6/7mm Flooring			**SPT2 （with PVC Runner ）**	**2700×25×5.3**	**30**	**0.25+0.2**
Reducer with U Runner for 3.5-4.5mm Flooring ,if for the 5-6mm Flooring will modify the Legs by mould			**PHT205 With U Runner**	**2700×32×5.3**	**30**	**0.33+0.2**
T-moulding with U Runner for 3.5-4.5mm Flooring ,if for the 5-6mm Flooring will modify the Legs by mould			**PHT205 With U Runner**	**2700×25×5.3**	**30**	**0.25+0.2**














SPC Flooring Profiles
(Aluminum Surface with Matt Champagne/Sliver/Golden/Black /Poslish /Copper)





Name and for Thickness of flooring	Pic	Product Drawing	Model	Size (L*W*H mm）	PCS/CTN 2.7meters	Weight/kg
Aluminum End Cap For 5mm Flooring Without Track			FBH3	2700×25×3	30	0. 31
Aluminum L Cap For 5mm Flooring			KE4×23	2700×23.2×5.2	150	0. 22
Aluminum L Cap For 4/5mm Flooring			KE5×20	2700×20×5	150	0. 2
Aluminum L Cap For 6/7mm Flooring			NZA7×15	2700×15×7	150	0. 13
Aluminum U Trim For 4.5/5mm Flooring			FC305	2700×22×4.5	100	0. 243
Aluminum U Trim For 6mm Flooring			FC306	2700×22×6	100	0. 25
Aluminum U Trim For 6.5mm Flooring			FC307	2700×22×6.5	100	0. 26
Aluminum C Trim For 7mm Flooring			PC-4	2700×19×7	100	0. 35
Aluminum C Trim For 5mm Flooring			PC-3	2700×19×5.2	100	0. 28
Aluminum C Trim For 4mm Flooring			APC42	2700×23.5×4.2	100	0. 29
Aluminum C Trim For 3mm Flooring			PC-1	2700×19×3	160	0. 16

SPC Flooring Profiles
(Aluminum Surface with Matt Champagne/Sliver/Golden/Black /Poslish /Copper)

Name and for Thickness of flooring	Pic	Product Drawing	Model	Size (L*W*H mm）	PCS/CTN 2.7meters	Weight/kg
Aluminum C Trim For 3mm Flooring			SPC-C4.4	2700×23.7×6.3	100	0. 25
Aluminum C Trim For 5mm Flooring			SPC-C6.3	2700×23.7×6.3	100	0. 27
Aluminumr Slip-Proof F Nosing For 5mm Flooring			SPC-L4.3	2700×22.2×4.3	120	0. 19
Aluminumr Slip-Proof F Nosing For 5mm Flooring			SPC-L6.3	2700×22.2×6.3	120	0. 21
Aluminum T Trim For 4/5mm Flooring			APT20	2700×19.8×4.5	100	0. 15
Aluminum T Trim For 5mm Flooring			TE1	2700×15.1×5.5	200	0. 15
Aluminum T Trim For 5/6mm Flooring			APT25	2700×24.3×5.7	100	0. 18
Aluminumr Slip-Proof Reducer For 5~7mm Flooring			NZA1	2700×35.5×5.8	50	0. 35
Aluminumr Slip-Proof T For 5~7mm Flooring			NZA2	2700×33×4.9	50	0. 31
Aluminumr Slip-Proof F Nosing For 5mm Flooring			SPC-F5.5	2700×29.5×5.14	50	0. 41





